



CCDPH Vaccine Initiatives



Cook County DEPT
of
Public Health



COOK COUNTY
HEALTH

Vaccination Data -

CCDPH Suburban Cook County Jurisdiction

As of September 29, 2021:

COVID-19 Vaccines Administered to Suburban Cook County Residents

1,505,972

People with at least one vaccine dose

1,225,944

People with complete vaccine series

66.2%

Percent of total population with at least

53.9%

Percent of total population with



**COOK COUNTY
HEALTH**




Cook County
Public Health


Special Focus On *Eleven to Elevate:*

Burnham
Calumet City
Dixmoor
Dolton
Ford Heights
Harvey
Markham
Phoenix
Riverdale
Robbins
Sauk Village


<https://ccdphcd.shinyapps.io/covid19/>



Completed CCDPH Mobile Vaccination Events
as of 9/27/21



CCDPH Mobile Vaccination Events with Upcoming Events
as of 9/27/21



As of 9/27/21, CCDPH has provided more than 41,800 doses of vaccine through 396 mobile vaccination clinic events.

There has been 17 additional events scheduled through December.

Hyperlocal activities - snapshot

Week of 9/18 -9/24

- To promote local vaccination events and educate on vaccines, the team
 - Made over 1,200 outreach phone calls and sent over 600 text messages
 - Knocked on over 640 doors, in collaboration with Community-Based Organizations
 - Created and posted 245 social media posts
- Provided vaccine teams (CCH, CCDPH or Partners) at 22 events
- Provided vaccination education at 4 events
- 64 more events currently scheduled; continuing to add more



Additional Doses for Immunocompromised Individuals

- CDC recommends that people with **moderately to severely compromised immune systems** receive an additional dose of mRNA COVID-19 vaccine at least 28 days after a second dose of [Pfizer-BioNTech COVID-19 vaccine](#) or [Moderna COVID-19 vaccine](#).
 - Should same vaccine as original series.
 - Should not receive more than 3 doses
- There is not enough data at this time to determine whether immunocompromised people who received the Johnson & Johnson's Janssen COVID-19 vaccine also have an improved antibody response following an additional dose of the same vaccine.

Additional Doses for Immunocompromised Individuals

- Immunocompromised includes people who have:
 - Been receiving active cancer treatment for tumors or cancers of the blood
 - Received an organ transplant and are taking medicine to suppress the immune system
 - Received a stem cell transplant within the last 2 years or are taking medicine to suppress the immune system
 - Moderate or severe primary immunodeficiency (such as DiGeorge syndrome, Wiskott-Aldrich syndrome)
 - Advanced or untreated HIV infection
 - Active treatment with high-dose corticosteroids or other drugs that may suppress your immune response
 - People should talk to their healthcare provider about their medical condition, and whether getting an additional dose is appropriate for them.

Boosters for General Population

- People 65 years and older and residents in long-term care settings **should** receive a booster shot of Pfizer-BioNTech's COVID-19 vaccine at least 6 months after their Pfizer-BioNTech primary series,
- People aged 50–64 years with [underlying medical conditions](#) **should** receive a booster shot of Pfizer-BioNTech's COVID-19 vaccine at least 6 months after their Pfizer-BioNTech primary series,
- People aged 18–49 years with [underlying medical conditions](#) **may** receive a booster shot of Pfizer-BioNTech's COVID-19 vaccine at least 6 months after their Pfizer-BioNTech primary series, based on their individual benefits and risks, and
- People aged 18-64 years who are at increased risk for COVID-19 exposure and transmission because of occupational or institutional setting **may** receive a booster shot of Pfizer-BioNTech's COVID-19 vaccine at least 6 months after their Pfizer-BioNTech primary series, based on their individual benefits and risks.

Vaccination for young children

- Pfizer-BioNTech submitted data from their clinical trial with children 5 – 11 years old to the FDA on September 28
- Trial had over 2,000 participants; data indicates safety and efficacy at 1/3rd of the adult dose size
- Expected that Pfizer will apply for emergency use authorization in the next few weeks
- Information released by the company indicated that data from trials for children 2-4 and children 6 months – 1year are expected before the end of the year.

CCDPH Response Activities

- **260,000+** Binax tests allocated
- **41,900+** Doses provided at **508** mobile clinics throughout SCC
- **31,777** inquiries from the public responded to
- **2,300+** Homebound vaccinations completed
- **667** food establishment and workplace complaints responded to
- **1,091** schools and childcare facilities provided with ongoing technical assistance & support
- **396** order violation investigations completed
- **220+** congregate settings provided with ongoing technical assistance and support to address over **430** outbreaks in the facilities.

Thank you



Cook County DEPT
of
Public Health



COOK COUNTY
HEALTH